



BJ-LY-6611
BJ-LY-6611RB

Ver1.0

审核：姜威

审批：马华超

受控日期：04/30/2024



..... 1

..... 2

..... 3

..... 5

..... 6

..... 7

..... 8

..... 9



6>! @M**%#6>! @M**%F6 F: =8

FG(,) #FG&' &

' "\$ (; #);

F: =8

K=: =

K=: =

红外扫描














		162 y 75 y 16mm
		10000 mAh
		V4.0-EDR BLE
	TYPE-C	USB2.0 RS485 RS232 18W
	5G/4G	5G/4G
	WIFI	2.4G/5G
	TF	TF y 1
	SIM	SIM y 1
		980W 15 nm
		5m
		7mW
	/	38kHz
	/	940nm 900nm~1000nm
	/	w 17v w 45v
		5m
		1200 2400bps
F: =8		ISO/IEC 14443A GB/T 22351.3 2008
		13.56MHz
		5cm



		5mil
		18W 18W
		TYPE-C
		24
		/
		SM1 SM2 SM3 SM4 SM7 SM9 SM4
		-25 ~ +55 -40 ~ +70
		40% ~ 90% 20% ~ 93%
		63kPa ~ 106kPa

%		% \$!%\$\$! &	
&		% &	
,	); G=A G=A	
(	% &	
)			
*			
+		FG(,) #FG&' &	

,		F: =8	
-		H	H
%\$			

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.



7.

8.

9.

10.

11.

12. RFID

%"

&"

' "



("

)"

*"

+"

,

-"

%\$"

-10 ~ +55

; 6#H% (*! %-)

-40 ~ +70

-
-
-
-



025-, +++)) \$\$

审核：姜威

审批：马华超

受控日期：04/30/2024



SZLY6.818.208

审核：姜威

审批：马华超

受控日期：04/30/2024